

TABLE OF CONTENTS

SECTION NO.	TITLE	PAGE NO.
1	GENERAL INFORMATION	1-1
1-1.	DESCRIPTION	1-1
1-2.	Tape Transport	1-1
1-3.	Head Assembly	1-4
1-4.	Control Unit	1-5
1-5.	Electronics Assembly	1-6
1-6.	Power Supply	1-8
1-7.	EQUIPMENT CONFIGURATIONS	1-8
1-8.	ACCESSORIES	1-9
1-9.	Input/Output Module and Mainframe	1-9
1-10.	Remote Control Unit	1-12
1-11.	SPECIFICATIONS	1-12
2	INSTALLATION	2-1
2-1.	UNPACKING AND INSPECTION	2-1
2-2.	INSTALLATION SITE	2-1
2-3.	MOUNTING THE RECORDER/REPRODUCER	2-1
2-4.	Cabinet Mount	2-1
2-5.	Cabinet Mounted on a Pedestal	2-3
2-6.	Fixed-Rack Mount	2-6
2-7.	Slide Rack Mount	2-6
2-8.	MOUNTING THE INPUT/OUTPUT MODULE ACCESSORY	2-8
2-9.	Cabinet Mount	2-11
2-10.	Rack Mount	2-11
2-11.	CHECKING CABLES AND COMPONENTS	2-11
2-12.	CONNECTING AC POWER	2-11
2-13.	AUDIO SIGNAL CONNECTIONS	2-13
2-14.	Recorder/Reproducer Input/Output Connectors	2-13
2-15.	Input-Connector Wiring	2-15
2-16.	Output-Connector Wiring	2-15
2-17.	Input/Output Assembly Connectors	2-15
2-18.	Input-Connector Wiring	2-15
2-19.	Output-Connector Wiring	2-16
2-20.	REMOTE CONTROL UNIT INSTALLATION	2-19
2-21.	INITIAL ADJUSTMENTS	2-19
2-22.	Turntable Positioning for Reel Size	2-19
2-23.	Control Unit Relocation	2-21

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
2	INSTALLATION (Continued)	
	2-24. Spool-Speed Selection	2-23
	2-25. Play/Edit Mode Lockout	2-23
	2-26. Record Mode Lockout	2-24
	2-27. Tape Timer Display Selection	2-24
	2-28. Minutes, Seconds, and Tenths of Seconds Display	2-24
	2-29. Hours, Minutes, and Seconds Display	2-25
	2-30. PURC Operation Selection	2-26
	2-31. INITIAL CHECKOUT PROCEDURE	2-29
	2-32. FACTORY SHIPPED OPERATIONAL CONFIGURATION	2-31
	2-33. CHECKING OPERATING LEVEL	2-31
3	OPERATION	3-1
	3-1. CONTROLS AND INDICATORS	3-1
	3-2. PRE-OPERATING PROCEDURES	3-1
	3-3. OPERATING PROCEDURES	3-11
	3-4. Recording	3-11
	3-5. Fast Winding	3-13
	3-6. Reproducing	3-13
	3-7. Tape Timer Operation	3-13
	3-8. Sel-Sync Function	3-13
	3-9. Editing	3-14
	3-10. Spooling	3-14
	3-11. Remote Control Operation	3-15
	3-12. PURC Operation	3-15
	3-13. Editing Procedures	3-15
	3-14. Insert Edit	3-16
4	THEORY OF OPERATION.	4-1
	4-1. FUNCTIONAL DESCRIPTION OF TAPE TRANSPORT	4-1
	4-2. BLOCK DIAGRAM FUNCTIONAL DESCRIPTION	4-1
	4-3. Thread Mode	4-2
	4-4. Reproduce Mode	4-2
	4-5. Record Mode	4-2
	4-6. Spool Mode	4-2

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
4	THEORY OF OPERATION (Continued)	
4-7.	Shuttle Modes	4-2
4-8.	Control Unit	4-2
4-9.	DETAILED THEORY OF OPERATION	4-4
4-10.	Capstan Servo Functional Description	4-5
4-11.	Capstan Servo Circuit Details	4-6
4-12.	Capstan Tach Assembly	4-6
4-13.	Phase Comparator	4-6
4-14.	Speed Reference Frequency	4-6
4-15.	Direction Logic and MDA Driver	4-9
4-16.	Capstan Motor Edit Offset	4-9
4-17.	Play Mode	4-9
	4-18. Underspeed Condition	4-9
	4-19. Phase Lock	4-9
4-20.	Spool Mode	4-10
4-21.	Stop Mode	4-10
4-22.	Reel Servo Functional Description	4-10
4-23.	Reel Servo Circuit Details	4-10
4-24.	Takeup and Supply Tension Sensors	4-10
4-25.	Compensation Amplifier	4-12
4-26.	Pulse-Width Modulator	4-12
4-27.	Output Gates and MDA	4-12
4-28.	Tension Arm Limit Detector	4-14
4-29.	Tension Logic	4-15
4-30.	Velocity/Acceleration Control	4-16
4-31.	Edit Offset Command	4-16
4-32.	Dynamic Emergency Braking	4-16
4-33.	Transport Control PWA No. 7	4-16
4-34.	System Wakeup Circuit	4-18
4-35.	Control Circuit Operation	4-18
	4-36. Rewind and Fast Forward Mode	4-18
	4-37. Spool Mode	4-18
	4-38. Tape Lifter Operation	4-18
	4-39. Play Mode	4-22
	4-40. Record Mode	4-22
	4-41. Stop Record Mode	4-23
	4-42. Thread Mode	4-23
	4-43. Unthread (Stop/Edit) Mode	4-23
	4-44. Edit Modes	4-23

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
4	THEORY OF OPERATION (Continued)	
4-45.	Tension Arm Limit Detectors	4-23
4-46.	Audio Control PWA No. 5	4-24
4-47.	Signal Mode Selection	4-24
4-48.	Latches	4-24
4-53.	Safe Mode	4-25
4-54.	Ready Mode	4-26
4-55.	Record Mode	4-26
4-56.	Reproduce Mode	4-28
4-57.	Sync Mode	4-28
4-58.	Input Mode	4-28
4-59.	Wakeup Line	4-29
4-60.	Illegal Speed	4-29
4-61.	Multiplexer System	4-29
4-62.	Master Oscillator and Counters	4-30
4-63.	Master Erase Bus	4-34
4-64.	Master Bias Bus	4-35
4-65.	Two-Speed Operation	4-35
4-66.	Four-Speed Operation	4-35
4-67.	Illegal Speed Detector	4-35
4-68.	Main Audio Functional Description	4-36
4-69.	Main Audio Circuit Details	4-39
4-70.	Control Logic	4-39
4-71.	Speed Decode Logic	4-39
4-72.	Erase Ramping	4-39
4-73.	Record Ramping and PURC Logic	4-40
4-74.	Record Circuits	4-44
4-75.	Erase Circuit	4-46
4-76.	Reproduce Circuits	4-48
4-77.	Audio Output Circuit	4-50
4-78.	Input/Output Assembly (Accessory)	4-50
4-79.	Line Input Amplifier	4-51
4-80.	Input Signal Monitoring	4-51
4-81.	Reproduce Mode	4-52
4-82.	Meter Circuit Operation	4-52
4-83.	Erase and Bias Voltage Confidence Indicators	4-52
4-84.	± 15 -Vdc Regulator	4-54
4-85.	Tape Timer Functional Description	4-54
4-86.	Tape Timer Circuit Details	4-54

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
4	THEORY OF OPERATION (Continued)	
	4-87. Tape Timer Display	4-54
	4-88. Tape Timer Tachometer	4-56
	4-89. Tape Timer Arithmetic Logic	4-56
	4-90. Initialization	4-57
	4-91. Count-Up Mode	4-57
	4-92. Count-Down Mode	4-59
	4-93. Tape Run Out	4-61
	4-94. Power Supply Functional Description	4-61
	4-95. Power Supply Circuit Details	4-61
	4-96. AC Supply	4-61
	4-97. 20-Volt Servo Supply	4-61
	4-98. 20-Volt Electronically Filtered Supply	4-61
	4-99. 5-Vdc Regulated Supply	4-62
5	MAINTENANCE	5-1
	5-1. GENERAL	5-1
	5-2. OVERALL TEST EQUIPMENT REQUIREMENTS	5-1
	5-3. PREVENTIVE MAINTENANCE	5-3
	5-4. Cleaning	5-3
	5-5. Tape Patch Cleaning	5-3
	5-6. Optical Devices	5-4
	5-7. Demagnetizing	5-4
	5-8. Scrape Flutter Idler	5-4
	5-9. Lubrication	5-6
	5-10. Head Gate Support Busing	5-6
	5-11. Tape Lifter Arm Bushings	5-6
	5-12. CONVERSION	5-7
	5-13. Changing Channel Configuration	5-7
	5-14. Changing Tape Width	5-8
	5-15. Changing Operating-Speed Pair and Master Bias Operation	5-8
	5-16. Two-Speed Dual Master Bias	5-10
	5-17. Four-Speed Master Bias	5-10
	5-18. Changing Input/Output Assembly Operating Configuration	5-11
	5-19. Input Amplifier	5-11
	5-20. Increasing Input Sensitivity	5-11

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
5	MAINTENANCE (Continued)	
	5-21. Balanced or Unbalanced Input	5-12
	5-22. Bypassing Input Transformer	5-12
	5-23. Shield Grounding	5-13
5-24.	Output Amplifier	5-13
	5-25. Balanced or Unbalanced Output	5-13
	5-26. Bypassing Output Transformer	5-13
	5-27. Increasing Output Resistance with Balanced Output	5-13
	5-28. Shield Grounding	5-13
5-29.	ALIGNMENT AND ADJUSTMENTS	5-13
5-30.	Audio Signal System Alignment	5-13
5-31.	Use of Alignment Tapes — General Discussion	5-14
5-32.	Using a Flux Loop — General Discussion	5-17
5-33.	Head Azimuth and Phase — General Discussion	5-18
5-34.	Operating Level — General Discussion	5-20
5-35.	Reproduce Equalization Adjustment	5-21
	5-36. Equalization Adjustment Using an Alignment Tape	5-21
	5-37. Reproduce Equalization Adjustment Using a Flux Loop	5-25
5-38.	Reproduce Head Azimuth and Phase Adjustment	5-26
	5-39. 2-Track or 4-Track Reproduce Head Azimuth and Phase Adjustment	5-26
	5-40. Full Track Reproduce Head Azimuth Adjustment	5-27
5-41.	Operating Level Adjustment	5-27
	5-42. 370 nWb/m Operating Level Adjustment	5-28
	5-43. 260 nWb/m Operating Level Adjustment	5-28
	5-44. 185 nWb/m Operating Level Adjustment	5-29
5-45.	Record Alignment	5-29
	5-46. First Speed Record Alignment	5-30
	5-47. Second Speed Record Alignment	5-34
	5-48. 2-Track or 4-Track Record Head Azimuth and Phase Adjustment	5-36
	5-49. Full-Track Record Head Azimuth Adjustment	5-37
5-50.	Sel Sync Equalization and Gain Adjustment	5-38
5-51.	Erase Depth Adjustment and Measurement	5-39
5-52.	Input/Output Assembly Adjustment	5-40

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
5	MAINTENANCE (Continued)	
	5-53. Offset Null Adjustments	5-40
	5-54. Record Level Adjustment (Method 1)	5-43
	5-55. Reproduce Level Adjustment (Method 1)	5-43
	5-56. Record and Reproduce Level Adjustment (Method 2)	5-43
5-57.	PURC Timing Alignment	5-44
5-58.	Tape Transport Adjustments	5-46
5-59.	Capstan Tach Sensor	5-46
5-60.	Tension Arm Limits	5-50
5-61.	Tape Tension	5-50
5-62.	Tape Lifters	5-52
	5-63. Tape Lifter Solenoid	5-53
	5-64. Tape Lifter Arms	5-53
5-65.	Head Gate	5-55
	5-66. Head Gate Height in Latched Position	5-56
	5-67. Head Gate Shield Alignment with Head Assembly Shield	5-57
	5-68. Head Gate Catch	5-57
	5-69. Head Gate Vertical Alignment	5-59
5-70.	Tape Peeler	5-59
5-71.	PERFORMANCE TESTS.	5-60
5-72.	Tape Tension	5-60
5-73.	Absolute Tape-Speed Accuracy	5-60
5-74.	Speed Variation	5-61
5-75.	Operating Level	5-62
5-76.	Signal-to-Noise Ratio	5-62
5-77.	Harmonic Distortion	5-64
5-78.	SMPTE Intermodulation Distortion.	5-68
5-79.	Flutter	5-68
5-80.	CORRECTIVE MAINTENANCE.	5-69
5-81.	Head Maintenance	5-70
5-82.	Changing Head Assembly	5-70
5-83.	Changing Head Stacks	5-71
5-84.	Troubleshooting	5-72
5-85.	Extender Boards	5-74
5-86.	Power Transistor Locations	5-74
5-87.	Flutter	5-75
5-88.	Troubleshooting Hints	5-75

TABLE OF CONTENTS (Continued)

SECTION NO.	TITLE	PAGE NO.
5	MAINTENANCE (Continued)	
5-89.	Component Replacement Procedures	5-87
5-90.	Power Supply	5-87
5-91.	Electronics Assembly	5-87
5-92.	Capstan/Tach Assembly	5-87
5-93.	Capstan Motor and Parts Replacement.	5-89
5-94.	Capstan Motor	5-90
5-95.	Capstan Motor Brushes	5-90
5-96.	Flywheel and Rotor	5-91
5-97.	Capstan Shaft Assembly	5-92
5-98.	Capstan Shaft Bearings.	5-94
5-99.	Reel Drive Motors and Brush Replacement	5-94
5-100.	Reel Drive Motor Replacement	5-94
5-101.	Brush Replacement	5-94
6	PARTS LISTS AND SCHEMATICS.	6-i
	INDENTURED LISTS OF ASSEMBLIES	6-ii
	NUMERICAL LIST OF ASSEMBLIES	6-v
	NUMERICAL LIST OF SCHEMATICS	6-vii

LIST OF ILLUSTRATIONS

FIGURE NO.	TITLE	PAGE NO.
1-1	Recorder/Reproducer, Unmounted	1-2
1-2	Top View of Tape Transport with Front and Rear Overlay Panels and the Head Cover Removed	1-3
1-3	Head Assembly	1-4
1-4	Head Assembly with Head Shield Removed	1-5
1-5	Control Unit	1-6
1-6	Electronics Assembly, Cover Panel Removed	1-7
1-7	Power Supply	1-8
1-8	Power Supply Chassis with Cover Panel Removed	1-9
1-9	ATR-100 Series Mounting Configurations	1-10
1-10	Input/Output Assembly	1-11
2-1	Mounting Dimensions	2-2
2-2	Rear Overlay Panel, Six Mounting Screws	2-3
2-3	Cabinet and Fixed-Rack Mount Transport-Mounting Holes	2-4
2-4	Cabinet Mounted on a Pedestal	2-5
2-5	Pedestal Assembly, Exploded View	2-7
2-6	Fixed-Rack Mount with Electronics Assembly Cover Panel Removed	2-8
2-7	Slide Rack Mount Kit	2-9
2-8	Slide-Rack Mount Transport-Mounting Holes	2-10
2-9	Left Hand Slide, Top View	2-10
2-10	Input/Output Assembly Mounting	2-12
2-11	Recorder/Reproducer, Rear View	2-13
2-12	Main Power Jumper Location	2-14
2-13	Connector Locations, Bottom View of Recorder/Reproducer	2-16
2-14	Input/Output Assembly, Rear View.	2-17
2-15	Input/Output Assembly Connector Wiring	2-18
2-16	Supply Motor Mounting	2-20
2-17	Supply Turntable.	2-21
2-18	Rear View of Transport	2-22
2-19	Tape Transport	2-22
2-20	Rear View of Filler Panel (Transport Components Removed for Clarity)	2-23
2-21	Spool Speed Jumper, Capstan Servo PWA No. 8	2-24
2-22	Normal/Play Edit-Lockout Jumper, Transport Control PWA No. 7	2-25
2-23	Record Lockout Jumper J5, Audio Control PWA No. 5	2-26
2-24	Tape Timer Display Selection Jumpers, Transport Control PWA No. 7	2-27

LIST OF ILLUSTRATIONS (Continued)

FIGURE NO.	TITLE	PAGE NO.
2-25	Control Unit, Case Bottom Removed	2-27
2-26	Inside View of Control Unit.	2-28
2-27	Tape Timer Display Selection Jumper, Control Unit PWA No. 1	2-28
2-28	PURC Jumper, PADNET PWA.	2-29
3-1	Tape Threading Path	3-12
3-2	PURC On/Off Timing Relationships	3-16
4-1	ATR-100 System, Simplified Block Diagram	4-3
4-2	Capstan Servo General Simplified Block Diagram	4-5
4-3	Capstan Servo Simplified Block Diagram	4-7
4-4	Reel Servo General Simplified Block Diagram	4-11
4-5	Reel Servo Simplified Block Diagram	4-13
4-6	Pulse Width Modulator Waveforms, Takeup Reel Servo	4-14
4-7	Dead Zone Generator Operation and MDA Switch Transistor Conduction State.	4-15
4-8	Takeup Dynamic Brake, Simplified Schematic.	4-17
4-9	Transport Control PWA No. 7, Simplified Block Diagram	4-19
4-10	Signal Mode Selection, Interconnection Simplified Block Diagram	4-25
4-11	Channel 1 Signal-Mode Selection Simplified Block Diagram, Audio Control PWA No. 5	4-27
4-12	Multiplexer Simplified Interconnect Block Diagram, Audio Control PWA No. 5 and Control Unit	4-31
4-13	Multiplexer Simplified Block Diagram, Audio Control PWA No. 5	4-32
4-14	Master Oscillator and Counters, Simplified Block Diagram (PWA No. 5)	4-33
4-15	Master Erase Bus, Simplified Schematic Diagram, Audio Control PWA No. 5	4-34
4-16	Master Bias Bus, Two-Speed Simplified Schematic (PWA No. 5)	4-37
4-17	Main Audio Simplified Block Diagram.	4-38
4-18	Main Audio Control Logic, Simplified Block Diagram	4-41
4-19	Record Ramping and PURC Delay Timing	4-42
4-20	Audio Record Circuits, Simplified Block Diagram	4-45
4-21	Erase Circuit, Simplified Block Diagram	4-47
4-22	Audio Reproduce Circuits, Simplified Block Diagram	4-49
4-23	Audio Output Circuit, Simplified Block Diagram.	4-51

LIST OF ILLUSTRATIONS (Continued)

FIGURE NO.	TITLE	PAGE NO.
4-24	Input/Output Assembly, Simplified Block Diagram	4-53
4-25	Tape Timer, Simplified Block Diagram	4-55
4-26	Count Up Logic, Simplified Block Diagram	4-58
4-27	Count Down Logic, Simplified Block Diagram	4-60
4-28	Power Supply Assembly, Simplified Block Diagram	4-63
5-1	Top View of Head Assembly, Head Shield Removed	5-5
5-2	Scrape Flutter Idler, Side Cross-Section View	5-6
5-3	Tape Guide Securing Screws	5-8
5-4	Overlay Panels, Audio Control PWA No. 5	5-9
5-5	Speed Selection Jumpers, PADNET PWA	5-10
5-6	Speed/Bias Selection Jumpers, Audio Control PWA No. 5	5-11
5-7	Input/Output Assembly Module — Jumper Terminals and Capacitor C20	5-12
5-8	Relative Fringing Frequency Response Due to Fringing Effect	5-15
5-9	Equalized Flux Loop Response for 15 in/s and 30 in/s	5-18
5-10	Reproduce Response From Unequalized Flux Loop	5-19
5-11	Azimuth Adjustment Screw Location	5-20
5-12	Main Audio PWA 1, 2, 3, or 4 — Alignment Controls	5-23
5-13	Record Equalization Standard Selector Switch S1, PANDET PWA	5-30
5-14	Audio Control PWA No. 5	5-31
5-15	I/O Level Set Accessory	5-41
5-16	Input/Output Module Adjustment Control Locations	5-41
5-17	Input/Output Module Assembly	5-42
5-18	Automatic Record/Play Cycler	5-45
5-19	Capstan Tach Sensor Adjustment	5-47
5-20	TP3 and TP4 Waveforms, PWA No. 8	5-48
5-21	Front and Rear Tach, Cover Panel Removal	5-49
5-22	Head Cover and Overlay Panels	5-51
5-23	Tension Arm Limits Adjustment	5-51
5-24	Tape Tension Adjustment Controls, PWA No. 9	5-52
5-25	Measuring Tape Tension	5-53
5-26	Tape Lifter Solenoid Adjustment Screw, Right Side of Tape Transport	5-54
5-27	Tape Lifter Rollers and Solenoid, Rear View of Transport	5-55
5-28	Top View of Transport, Head Cover Removed	5-56
5-29	Head Gate in Latched (Down) Position	5-57

LIST OF ILLUSTRATIONS (Continued)

FIGURE NO.	TITLE	PAGE NO.
5-30	Head Gate in Latched (Down) Position, Front View of Transport	5-58
5-31	Head Gate in Unlatched (Up) Position	5-58
5-32	Tape Peeler Adjustment	5-59
5-33	30-Hz to 18-kHz Band Limiting Filter	5-63
5-34	ANSI 'A' Weighted Filter	5-63
5-35	Universal Noise Filter Schematic	5-65
5-36	Head Assembly and Tape Guides	5-70
5-37	Top View of Transport with Head Assembly Removed	5-71
5-38	Top View of Head Assembly with Main Head Shield Removed	5-72
5-39	Head Assembly Spring Loaded Pin Locations, Main Head Shield Removed	5-73
5-40	Power Transistor Locations on Heatsink	5-74
5-41	No Reproduce Output — Troubleshooting Flow Chart	5-83
5-42	No System Output in Reproduce, Sel Sync, or Output Modes — Troubleshooting Flow Chart.	5-84
5-43	No Recording on Tape — Troubleshooting Flow Chart	5-85
5-44	No or Poor Erase — Troubleshooting Flow Chart.	5-86
5-45	Power Supply Removal	5-88
5-46	Exploded View of Capstan Motor	5-90
5-47	Capstan Motor Removal	5-91
5-48	Capstan Motor Rear Cover Assembly	5-92
5-49	Rear View of Capstan Motor Assembly	5-93
5-50	Reel Drive Motor Brush Replacement, Rear Side View of Transport	5-95

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
1-1	Electronics Assembly Printed Wiring Assemblies	1-7
1-2	Optional Equipment	1-12
1-3	Accessory Equipment	1-12
1-4	Specifications	1-13
2-1	Power Jumper Positions	2-15
2-2	Connector J13 Channel/Signal Identification, Channels 1 and 2	2-17
2-3	Connector J14 Channel/Signal Identification, Channels 3 and 4	2-18
2-4	Factory Shipped Operational Configuration	2-32
3-1	Tape Transport Controls and Indicators	3-2
3-2	Recorder Control Panel, Transport Controls and Indicators.	3-3
3-3	Recorder Control Panel, Signal System Controls and Indicators.	3-7
3-4	Input/Output Module Accessory, Controls and Indicators	3-10
3-5	PURC Edit Delay Times	3-15
4-1	Command Signal Abbreviation.	4-4
4-2	Phase Comparator Output Logic States	4-8
4-3	Tape Speed Reference Frequencies	4-8
4-4	Capstan Servo FET Switch Control	4-9
4-5	Channel 1 Signal Mode Selection Output-Signal Logic States	4-28
4-6	Speed Jumper Placement and Bias Switch Setting, Audio Control PWA No. 5	4-38
4-7	Preset Equalization Network Settings	4-46
4-8	Counter Data Word Format	4-56
5-1	Overall Test and Maintenance Equipment Requirements	5-1
5-2	Lubricants Used on Recorder/Reproducer	5-7
5-3	Reproduce Frequency Response Tolerances	5-16
5-4	Amplitude Correction Factors for Setting Operating Level when using Full-Track Alignment Tapes on 2-Track or 4-Track Systems	5-16
5-5	Capacitor Values for Passive Equalization of High Frequency Turnover	5-18
5-6	Relative Operating Levels.	5-21
5-7	PADNET PWA — Alignment Controls	5-24

LIST OF TABLES (Continued)

TABLE NO.	TITLE	PAGE NO.
5-8	Record Equalization Standard	
	Selector Switch S1 Switch Positions (PADNET PWA)	5-30
5-9	Audio Control PWA No. 5 — Four-Speed Alignment Controls.	5-32
5-10	Audio Control PWA No. 5 — Two-Speed Alignment Controls .	5-33
5-11	Recommended Frequency, Signal Level, and Overbias Values for Bias and Equalization Adjustment . .	5-34
5-12	Overall Record/Reproduce Frequency Response	5-35
5-13	Overall Signal-to-Noise Rate Specifications	5-66
5-14	Typical Standby Signal-to-Noise Ratio Specifications	5-66
5-15	Harmonic and SMPTE Intermodulation System Distortion Specifications	5-67
5-16	Rotational Rates (Hertz)	5-75
5-17	Troubleshooting Hints — Tape Transport.	5-75
5-18	Troubleshooting Hints — Tape Timer	5-78
5-19	Troubleshooting Hints — Flutter	5-78
5-20	Troubleshooting Hints — Signal-to-Noise Ratio	5-79
5-21	Troubleshooting Hints — Harmonic and Intermodulation Distortion	5-80
5-22	Troubleshooting Hints — General.	5-80